

Lumaire for panel lighting

eBrochure

Lumaire consists of a cast prismatic acrylic panel having unique reflective properties, with LED edge illumination.

It creates an extremely slimline, versatile backlighting solution.

Designed to enhance and bring to life graphics, prints, glass, Corian® and stone among other applications.

Manufactured in the UK, our bespoke high-quality light panel comes with a 5-year warranty.

- Manufactured in the UK
- Three year warranty
- Free delivery*
- Dedicated Customer Care Team

^{*} Terms & conditions apply, see website for details.

Lumaire is used within signage to offer a slimline solution and retail as a POS, highlighting shelves and display.

- Interior design for high-end residential as well as hotels and offices
- Backlighting architectural materials and promotional displays


We offer a variety of kelvin temperatures as well as our variable dynamic white.

The product is suitable for interior or exterior use, with a maximum sheet size 2450mm x 1000mm.

- slim and bright
- bespoke shapes and sizes
- energy efficient
- 5 year warranty when used with our own drivers
- interior or exterior use
- adjustable brightness
- dynamic white range 3000K to 6500K



Lumaire




Lumaire is a flat **5mm** cast prismatic acrylic with unique reflective properties and LEDS to create an extremely slimline, versatile backlighting solution. Framed within a **8mm** bespoke heatsink across the top and/or bottom dependant on application.

Available in 3000K, 6500K, dynamic white and also RGB.

12 Volt

Lumaire Lite




Lumaire Lite is a flat 5mm cast prismatic acrylic with unique reflective properties and LEDS to create an extremely slimline, versatile backlighting solution.

The LEDs are embedded within the cast acrylic, without the need for a framed heatsink.

Available in 3000K and 6500K.

12 Volt


Application examples



Highlighting visual displays and shelves.



Perfect for marketing and promotional campaigns.



Internal or external applications.

